




## Author index

### Volume 51 (1995)

- Acampora, D., see Simeone, A. 51, 83  
Akhmanova, A., see Miedema, K. 51, 67  
Arra, C., see Simeone, A. 51, 83  
Avantaggiato, V., see Simeone, A. 51, 83
- Bindels, P., see Miedema, K. 51, 67  
Bolcato-Bellemin, A.L., see Stoetzel, C. 51, 251  
Bourgeois, P., see Stoetzel, C. 51, 251  
Boyle, L., see Kose, H. 51, 275  
Brunet, J.-F., see Tissier-Seta, J.-P. 51, 3
- Cai, H., see Tatei, K. 51, 157  
Catala, M., M.-A. Teillet, N.M. Le Douarin, Organization and development of the tail bud analyzed with the quail-chick chimera system 51, 51  
Chang, W., see Kose, H. 51, 275  
Christiansen, J.H., C.L. Dennis, C.A. Wicking, S.J. Monkley, D.G. Wilkinson, B.J. Wainwright, Murine *Wnt-11* and *Wnt-12* have temporally and spatially restricted expression patterns during embryonic development 51, 341  
Cohen, R.S., see Serano, T.L. 51, 183  
Colas, J.-F., see Rosay, P. 51, 329  
Cotelli, F., see Simeone, A. 51, 83
- Dennis, C.L., see Christiansen, J.H. 51, 341
- Fainsod, A., see Schubert, F.R. 51, 99  
Francis-Lang, H., see Myers, F.A. 51, 217  
Fundele, R., see Svensson, K. 51, 31
- Gerster, T., see Hauptmann, G. 51, 127  
Goridis, C., see Tissier-Seta, J.-P. 51, 3  
Gruenbaum, Y., see Schubert, F.R. 51, 99  
Gruss, P., see Schubert, F.R. 51, 99
- Hanske, M., see Miedema, K. 51, 67  
Hartley, D.A., see Tata, F. 51, 305  
Hauptmann, G., T. Gerster, *Pou-2* — a zebrafish gene active during cleavage stages and in the early hindbrain 51, 127  
Hennig, W., see Miedema, K. 51, 67  
Holder, N., see Neave, B. 51, 169
- Ip, Y.T., see Tatei, K. 51, 157
- Karlin-McGinness, M., see Serano, T.L. 51, 183  
Karr, T.L., see Kose, H. 51, 275  
Katsuyama, Y., see Wada, S. 51, 115  
Kimelman, D., see Schuh, T.J. 51, 39  
Klingensmith, J., see Noordermeer, J. 51, 145
- Kornberg, T.B., see Raeber, A.J. 51, 317  
Kose, H., W. Chang, L. Boyle, T.L. Karr, Organization of *Wolbachia pipientis* in the *Drosophila* fertilized egg and embryo revealed by an anti-*Wolbachia* monoclonal antibody 51, 275
- Lakhotia, S.C., see Mukherjee, A. 51, 227  
Le Douarin, N.M., see Catala, M. 51, 51  
Levine, M., see Tatei, K. 51, 157
- Mackem, S., see Ranson, M. 51, 17  
Mahon, K.A., see Ranson, M. 51, 17  
Marín, F., see Martínez, S. 51, 289  
Mark, M., see Tissier-Seta, J.-P. 51, 3  
Maroteaux, L., see Rosay, P. 51, 329  
Martínez, S., F. Marín, M.A. Nieto, L. Puelles, Induction of ectopic *engrailed* expression and fate change in avian rhombomeres: intersegmental boundaries as barriers 51, 289  
Mattei, M.-G., see Tissier-Seta, J.-P. 51, 3  
Mavilio, F., see Simeone, A. 51, 83  
Miedema, K., M. Hanske, A. Akhmanova, P. Bindels, W. Hennig, Minor-myosin, a novel myosin isoform synthesized preferentially in *Drosophila* testis is encoded by the muscle myosin heavy chain gene 51, 67  
Monkley, S.J., see Christiansen, J.H. 51, 341  
Moroni, M.C., see Simeone, A. 51, 83  
Mucchielli, M.-L., see Tissier-Seta, J.-P. 51, 3  
Mukherjee, A., S.C. Lakhotia, J.K. Roy, *1(2)gl* gene regulates late expression of segment polarity genes in *Drosophila* 51, 227  
Muramoto, T., see Raeber, A.J. 51, 317  
Murre, C., see Roberts, V.J. 51, 193  
Myers, F.A., H. Francis-Lang, S.F. Newbury, Degradation of maternal *string* mRNA is controlled by proteins encoded on maternally contributed transcripts 51, 217
- Neave, B., A. Rodaway, S.W. Wilson, R. Patient, N. Holder, Expression of zebrafish GATA 3 (*gta3*) during gastrulation and neurulation suggests a role in the specification of cell fate 51, 169  
Newbury, S.F., see Myers, F.A. 51, 217  
Nieto, M.A., see Martínez, S. 51, 289  
Nigro, V., see Simeone, A. 51, 83  
Noguchi, S., see Suemori, H. 51, 265  
Noordermeer, J., J. Klingensmith, R. Nusse, Differential requirements for segment polarity genes in wingless signaling 51, 145  
Nusse, R., see Noordermeer, J. 51, 145
- Ohlsson, R., see Svensson, K. 51, 31
- Patient, R., see Neave, B. 51, 169  
Perrin-Schmitt, F., see Stoetzel, C. 51, 251

- Perron, M., L. Théodore, M. Wegnez, Isolation and embryonic expression of *Xel-1*, a nervous system-specific *Xenopus* gene related to the *elav* gene family 51, 235
- Prusiner, S.B., see Raeber, A.J. 51, 317
- Puelles, L., see Martínez, S. 51, 289
- Raeber, A.J., T. Muramoto, T.B. Kornberg, S.B. Prusiner, Expression and targeting of Syrian hamster prion protein induced by heat shock in transgenic *Drosophila melanogaster* 51, 317
- Ranson, M., C. Tickle, K.A. Mahon, S. Mackem, *Gnot1*, a member of a new homeobox gene subfamily, is expressed in a dynamic, region-specific domain along the proximodistal axis of the developing limb 51, 17
- Roberts, V.J., M.A. van Dijk, C. Murre, Localization of *Pbx1* transcripts in developing rat embryos 51, 193
- Rodaway, A., see Neave, B. 51, 169
- Rosay, P., J.-F. Colas, L. Maroteaux, Dual organisation of the *Drosophila* neuropeptide receptor *NKD* gene promoter 51, 329
- Roy, J.K., see Mukherjee, A. 51, 227
- Sackerson, C., Patterns of conservation and divergence at the *even-skipped* locus of *Drosophila* 51, 199
- Saiga, H., see Wada, S. 51, 115
- Schubert, F.R., A. Fainsod, Y. Gruenbaum, P. Gruss, Expression of the novel murine homeobox gene *Sax-1* in the developing nervous system 51, 99
- Schuh, T.J., D. Kimelman, COUP-TFI is a potential regulator of retinoic acid-modulated development in *Xenopus* embryos 51, 39
- Serano, T.L., M. Karlin-McGinness, R.S. Cohen, The role of *fs(1)K10* in the localization of the mRNA of the TGF $\alpha$  homolog *gurken* within the *Drosophila* oocyte 51, 183
- Simeone, A., V. Avantaggiato, M.C. Moroni, F. Mavilio, C. Arra, F. Cotelli, V. Nigro, D. Acampora, Retinoic acid induces stage-specific antero-posterior transformation of rostral central nervous system 51, 83
- Stoetzel, C., B. Weber, P. Bourgeois, A.L. Bolcato-Bellemin, F. Perrin-Schmitt, Dorso-ventral and rostro-caudal sequential expression of *M-twist* in the postimplantation murine embryo 51, 251
- Suemori, H., N. Takahashi, S. Noguchi, *Hoxc-9* mutant mice show anterior transformation of the vertebrae and malformation of the sternum and ribs 51, 265
- Svensson, K., C. Walsh, R. Fundele, R. Ohlsson, *H19* is imprinted in the choroid plexus and leptomeninges of the mouse foetus 51, 31
- Takahashi, N., see Suemori, H. 51, 265
- Tata, F., D.A. Hartley, Inhibition of cell fate in *Drosophila* by *Enhancer of split* genes 51, 305
- Tatei, K., H. Cai, Y.T. Ip, M. Levine, Race: A *drosophila* homologue of the angiotensin converting enzyme 51, 157
- Teillet, M.-A., see Catala, M. 51, 51
- Théodore, L., see Perron, M. 51, 235
- Tickle, C., see Ranson, M. 51, 17
- Tissier-Seta, J.-P., M.-L. Mucchielli, M. Mark, M.-G. Mattei, C. Goridis, J.-F. Brunet, *Barx1*, a new mouse homeodomain transcription factor expressed in cranio-facial ectomesenchyme and the stomach 51, 3
- van Dijk, M.A., see Roberts, V.J. 51, 193
- Wada, S., Y. Katsuyama, S. Yasugi, H. Saiga, Spatially and temporally regulated expression of the LIM class homeobox gene *Hrlim* suggests multiple distinct functions in development of the ascidian, *Halocynthia roretzi* 51, 115
- Wainwright, B.J., see Christiansen, J.H. 51, 341
- Walsh, C., see Svensson, K. 51, 31
- Weber, B., see Stoetzel, C. 51, 251
- Wegnez, M., see Perron, M. 51, 235
- Wicking, C.A., see Christiansen, J.H. 51, 341
- Wilkinson, D.G., see Christiansen, J.H. 51, 341
- Wilson, S.W., see Neave, B. 51, 169
- Yasugi, S., see Wada, S. 51, 115



## Subject index

### Volume 51 (1995)

- Apical ectodermal ridge;** *Wnt*; Mouse; Signalling molecule; Myotome; Limb **51, 341**
- Ascidian;** Gene expression; Homeobox; In situ hybridization; LIM **51, 115**
- Atonal;** G protein-coupled receptors; Transcription; Peripheral nervous system; Tachykinin **51, 329**
- Avian embryo gastrulation;** Chordo-neural hinge; Origin of floor plate; Lumbo-sacro-caudal fate map of avian embryo; Primary and secondary neurulation **51, 51**
- Blood cells;** GATA genes; Transcription factors; Gastrulation; Cell fate; Neurons; Development **51, 169**
- Brachyury curtailed;** Neural induction; Homeobox; Spinal cord; P19 EC cells; *Danforth's short tail*; *Evx-1*; *Pax-6* **51, 99**
- Cell fate;** GATA genes; Transcription factors; Gastrulation; Blood cells; Neurons; Development **51, 169**
- Cell fate determination;** *Enhancer of split*; Helix-loop-helix proteins; *Drosophila*; Neurogenesis **51, 305**
- Chick embryo;** Homeobox genes; Limb development; Pattern formation **51, 17**
- Chimeras;** *Engrailed*; Rhombomeres; Planar induction; Interrhom-bomeric limits; Pattern formation **51, 289**
- Chordo-neural hinge;** Avian embryo gastrulation; Origin of floor plate; Lumbo-sacro-caudal fate map of avian embryo; Primary and secondary neurulation **51, 51**
- Comparative study;** *Even-skipped (eve)*; Hawaiian picture-winged *Drosophila*; Regulatory sequences; Segmentation; Pair-rule gene **51, 199**
- COUP-TFI;** *Xenopus*; Embryogenesis; Retinoic acid; Neural develop-ment **51, 39**
- Craniofacial development;** Homeobox; Neural crest; Tooth develop-ment; Stomach **51, 3**
- Cubitus interruptus Dominant;** *1(2)gl*; *Drosophila* tumour suppressor genes; *engrailed*; Polarity genes; Flip recombination **51, 227**
- Cytoplasmic incompatibility;** *Walbachia*; *Drosophila*; Symbiosis **51, 275**
- Danforth's short tail;** Neural induction; Homeobox; Spinal cord; P19 EC cells; *Brachyury curtailed*; *Evx-1*; *Pax-6* **51, 99**
- Development;** *Drosophila*; Male germ line; Muscle-myosin heavy chain; Myosin isoform; Testis; Spermatogenesis **51, 67**
- Development;** GATA genes; Transcription factors; Gastrulation; Cell fate; Blood cells; Neurons **51, 169**
- Dorsoventral patterning;** *rosophila* oogenesis; *Drosophila* K10 gene; Pattern formation; mRNA localization; *Drosophila grk* gene **51, 183**
- Drosophila grk gene;** *Drosophila* oogenesis; *Drosophila* K10 gene; Dor-soventral patterning; Pattern formation; mRNA localization **51, 183**
- Drosophila;** *Enhancer of split*; Helix-loop-helix proteins; Cell fate determination; Neurogenesis **51, 305**
- Drosophila;** *String*; mRNA stability; Maternal mRNA **51, 217**
- Drosophila;** *Walbachia*; Cytoplasmic incompatibility; Symbiosis **51, 275**
- Drosophila;** Development; Male germ line; Muscle-myosin heavy chain; Myosin isoform; Testis; Spermatogenesis **51, 67**
- Drosophila;** Transgenic flies; Prion protein; Heat shock proteins **51, 317**
- Drosophila embryogenesis;** Segment polarity genes; *Wingless* gene ex-pression; *Engrailed* gene **51, 145**
- Drosophila K10 gene;** *Drosophila* oogenesis; Dorsoventral patterning; Pattern formation; mRNA localization; *Drosophila grk* gene **51, 183**
- Drosophila oogenesis;** *Drosophila* K10 gene; Dorsoventral patterning; Pattern formation; mRNA localization; *Drosophila grk* gene **51, 183**
- Drosophila tumour suppressor genes;** *1(2)gl*; *engrailed*; *Cubitus inter-ruptus Dominant*; Polarity genes; Flip recombination **51, 227**
- elav;** *Xenopus*; Nervous system; RNA-binding proteins; Hu pro-teins **51, 235**
- Embryogenesis;** *Xenopus*; COUP-TFI; Retinoic acid; Neural develop-ment **51, 39**
- engrailed;** *1(2)gl*; *Drosophila* tumour suppressor genes; *Cubitus inter-ruptus Dominant*; Polarity genes; Flip recombination **51, 227**



- Engrailed**; indbrain; Rhombomeres; Retinoic acid; In situ hybridization; POU domain genes; *Krx-20*; *Pax-2* 51, 127
- Engrailed**; Rhombomeres; Planar induction; Chimeras; Interrhombomeric limits; Pattern formation 51, 289
- Engrailed gene**; *Drosophila* embryogenesis; Segment polarity genes; *Wingless* gene expression 51, 145
- Enhancer of split**; Helix-loop-helix proteins; Cell fate determination; *Drosophila*; Neurogenesis 51, 305
- Even-skipped (eve)**; Hawaiian picture-winged *Drosophila*; Comparative study; Regulatory sequences; Segmentation; Pair-rule gene 51, 199
- Evx-1**; Neural induction; Homeobox; Spinal cord; P19 EC cells; *Brachyury curtailed*; *Danforth's short tail*; *Pax-6* 51, 99
- Extra-embryonic tissues**; Mouse; Postgastrulation; *M-twist*; Mesodermal layer; Neural crest derivatives 51, 251
- Flip recombination**; *1(2)gl*; *Drosophila* tumour suppressor genes; *engrailed*; *Cubitus interruptus* Dominant; Polarity genes 51, 227
- Forebrain**; Retinoic acid; Neural pattern; *Otx2*; Gastrulation 51, 83
- G protein-coupled receptors**; Transcription; Atonal; Peripheral nervous system; Tachykinin 51, 329
- Gastrulation**; GATA genes; Transcription factors; Cell fate; Blood cells; Neurons; Development 51, 169
- Gastrulation**; Retinoic acid; Neural pattern; *Otx2*; Forebrain 51, 83
- GATA genes**; Transcription factors; Gastrulation; Cell fate; Blood cells; Neurons; Development 51, 169
- Gene expression**; Ascidian; Homeobox; In situ hybridization; LIM 51, 115
- Gene targeting**; *Hox C Abd-B* genes; *Hoxc-9*; *Hoxc-8*; Mouse 51, 265
- 1(2)gl***; *Drosophila* tumour suppressor genes; *engrailed*; *Cubitus interruptus* Dominant; Polarity genes; Flip recombination 51, 227
- Group I(2)34Eb**; Related to Angiotensin Converting Enzyme; Hox genes 51, 157
- H19**; *Igf-2*; Mouse choroid plexus/leptomeninges; Imprinting 51, 31
- Hawaiian picture-winged *Drosophila***; *Even-skipped (eve)*; Comparative study; Regulatory sequences; Segmentation; Pair-rule gene 51, 199
- Heat shock proteins**; Transgenic flies; Prion protein; *Drosophila* 51, 317
- Helix-loop-helix proteins**; *Enhancer of split*; Cell fate determination; *Drosophila*; Neurogenesis 51, 305
- Hindbrain**; Rhombomeres; Retinoic acid; In situ hybridization; POU domain genes; *Krx-20*; *Pax-2*; *Engrailed* 51, 127
- Homeobox**; Ascidian; Gene expression; In situ hybridization; LIM 51, 115
- Homeobox**; Neural crest; Craniofacial development; Tooth development; Stomach 51, 3
- Homeobox**; Neural induction; Spinal cord; P19 EC cells; *Brachyury curtailed*; *Danforth's short tail*; *Evx-1*; *Pax-6* 51, 99
- Homeobox genes**; Chick embryo; Limb development; Pattern formation 51, 17
- Homeodomain proteins**; *Pbx1*; *Hox*; Homeotic genes 51, 193
- Homeotic genes**; *Pbx1*; *Hox*; Homeodomain proteins 51, 193
- Hox C Abd-B* genes**; *Hoxc-9*; *Hoxc-8*; Mouse; Gene targeting 51, 265
- Hox genes**; Related to Angiotensin Converting Enzyme; Group I(2)34Eb 51, 157
- Hox**; *Pbx1*; Homeodomain proteins; Homeotic genes 51, 193
- Hoxc-8***; *Hox C Abd-B* genes; *Hoxc-9*; Mouse; Gene targeting 51, 265
- Hoxc-9***; *Hox C Abd-B* genes; *Hoxc-8*; Mouse; Gene targeting 51, 265
- Hu proteins**; *Xenopus*; Nervous system; RNA-binding proteins; *elav* 51, 235
- Igf-2***; *H19*; Mouse choroid plexus/leptomeninges; Imprinting 51, 31
- Imprinting**; *H19*; *Igf-2*; Mouse choroid plexus/leptomeninges 51, 31
- In situ hybridization**; Ascidian; Gene expression; Homeobox; LIM 51, 115
- In situ hybridization**; Hindbrain; Rhombomeres; Retinoic acid; POU domain genes; *Krx-20*; *Pax-2*; *Engrailed* 51, 127
- Interrhombomeric limits**; *Engrailed*; Rhombomeres; Planar induction; Chimeras; Pattern formation 51, 289
- Krx-20***; Hindbrain; Rhombomeres; Retinoic acid; In situ hybridization; POU domain genes; *Pax-2*; *Engrailed* 51, 127
- LIM**; Ascidian; Gene expression; Homeobox; In situ hybridization 51, 115
- Limb**; *Wnt*; Mouse; Signalling molecule; Myotome; Apical ectodermal ridge 51, 341
- Limb development**; Homeobox genes; Chick embryo; Pattern formation 51, 17
- Lumbo-sacro-caudal fate map of avian embryo**; Chordo-neural hinge; Avian embryo gastrulation; Origin of floor plate; Primary and secondary neurulation 51, 51
- M-twist***; Mouse; Postgastrulation; Mesodermal layer; Neural crest derivatives; Extra-embryonic tissues 51, 251
- Male germ line**; Development; *Drosophila*; Muscle-myosin heavy chain; Myosin isoform; Testis; Spermatogenesis 51, 67
- Maternal mRNA**; *String*; mRNA stability; *Drosophila* 51, 217
- Mesodermal layer**; Mouse; Postgastrulation; *M-twist*; Neural crest derivatives; Extra-embryonic tissues 51, 251
- Mouse**; *Hox C Abd-B* genes; *Hoxc-9*; *Hoxc-8*; Gene targeting 51, 265

- Mouse; *Wnt***; Signalling molecule; Myotome; Limb; Apical ectodermal ridge 51, 341
- Mouse**; Postgastrulation; *M-twist*; Mesodermal layer; Neural crest derivatives; Extra-embryonic tissues 51, 251
- Mouse choroid plexus/leptomeninges**; *H19*; *Igf-2*; Imprinting 51, 31
- mRNA localization**; *Drosophila* oogenesis; *Drosophila* K10 gene; Dorsal-ventral patterning; Pattern formation; *Drosophila* *grk* gene 51, 183
- mRNA stability**; *String*; Maternal mRNA; *Drosophila* 51, 217
- Muscle-myosin heavy chain**; Development; *Drosophila*; Male germ line; Myosin isoform; Testis; Spermatogenesis 51, 67
- Myosin isoform**; Development; *Drosophila*; Male germ line; Muscle-myosin heavy chain; Testis; Spermatogenesis 51, 67
- Myotome; *Wnt***; Mouse; Signalling molecule; Limb; Apical ectodermal ridge 51, 341
- Nervous system; *Xenopus***; RNA-binding proteins; *elav*; Hu proteins 51, 235
- Neural crest**; Homeobox; Craniofacial development; Tooth development; Stomach 51, 3
- Neural crest derivatives**; Mouse; Postgastrulation; *M-twist*; Mesodermal layer; Extra-embryonic tissues 51, 251
- Neural development; *Xenopus***; Embryogenesis; COUP-TFI; Retinoic acid 51, 39
- Neural induction**; Homeobox; Spinal cord; P19 EC cells; *Brachyury curtailed*; *Danforth's short tail*; *Evx-1*; *Pax-6* 51, 99
- Neural pattern**; Retinoic acid; *Otx2*; Gastrulation; Forebrain 51, 83
- Neurogenesis**; *Enhancer of split*; Helix-loop-helix proteins; Cell fate determination; *Drosophila* 51, 305
- Neurons**; GATA genes; Transcription factors; Gastrulation; Cell fate; Blood cells; Development 51, 169
- Origin of floor plate**; Chord-neural hinge; Avian embryo gastrulation; Lumbo-sacro-caudal fate map of avian embryo; Primary and secondary neurulation 51, 51
- Otx2***; Retinoic acid; Neural pattern; Gastrulation; Forebrain 51, 83
- P19 EC cells**; Neural induction; Homeobox; Spinal cord; *Brachyury curtailed*; *Danforth's short tail*; *Evx-1*; *Pax-6* 51, 99
- Pair-rule gene**; *Even-skipped (eve)*; Hawaiian picture-winged *Drosophila*; Comparative study; Regulatory sequences; Segmentation 51, 199
- Pattern formation**; *Drosophila* oogenesis; *Drosophila* K10 gene; Dorsal-ventral patterning; mRNA localization; *Drosophila* *grk* gene 51, 183
- Pattern formation**; *Engrailed*; Rhombomeres; Planar induction; Chimeras; Interrhombomeric limits 51, 289
- Pattern formation**; Homeobox genes; Chick embryo; Limb development 51, 17
- Pax-2***; Hindbrain; Rhombomeres; Retinoic acid; In situ hybridization; POU domain genes; *Krx-20*; *Engrailed* 51, 127
- Pax-6***; Neural induction; Homeobox; Spinal cord; P19 EC cells; *Brachyury curtailed*; *Danforth's short tail*; *Evx-1* 51, 99
- Pbx1***; *Hox*; Homeodomain proteins; Homeotic genes 51, 193
- Peripheral nervous system**; G protein-coupled receptors; Transcription; Atonal; Tachykinin 51, 329
- Planar induction**; *Engrailed*; Rhombomeres; Chimeras; Interrhombomeric limits; Pattern formation 51, 289
- Polarity genes**; *1(2)gl*; *Drosophila* tumour suppressor genes; *engrailed*; *Cubitus interruptus* Dominant; Flip recombination 51, 227
- Postgastrulation**; Mouse; *M-twist*; Mesodermal layer; Neural crest derivatives; Extra-embryonic tissues 51, 251
- POU domain genes**; Hindbrain; Rhombomeres; Retinoic acid; In situ hybridization; *Krx-20*; *Pax-2*; *Engrailed* 51, 127
- Primary and secondary neurulation**; Chord-neural hinge; Avian embryo gastrulation; Origin of floor plate; Lumbo-sacro-caudal fate map of avian embryo 51, 51
- Prion protein**; Transgenic flies; Heat shock proteins; *Drosophila* 51, 317
- Regulatory sequences**; *Even-skipped (eve)*; Hawaiian picture-winged *Drosophila*; Comparative study; Segmentation; Pair-rule gene 51, 199
- Related to Angiotensin Converting Enzyme**; *Hox* genes; Group I(2)34Eb 51, 157
- Retinoic acid; *Xenopus***; Embryogenesis; COUP-TFI; Neural development 51, 39
- Retinoic acid**; Hindbrain; Rhombomeres; In situ hybridization; POU domain genes; *Krx-20*; *Pax-2*; *Engrailed* 51, 127
- Retinoic acid**; Neural pattern; *Otx2*; Gastrulation; Forebrain 51, 83
- Rhombomeres**; *Engrailed*; Planar induction; Chimeras; Interrhombomeric limits; Pattern formation 51, 289
- Rhombomeres**; Hindbrain; Retinoic acid; In situ hybridization; POU domain genes; *Krx-20*; *Pax-2*; *Engrailed* 51, 127
- RNA-binding proteins; *Xenopus***; Nervous system; *elav*; Hu proteins 51, 235
- Segment polarity genes**; *Drosophila* embryogenesis; *Wingless* gene expression; *Engrailed* gene 51, 145
- Segmentation**; *Even-skipped (eve)*; Hawaiian picture-winged *Drosophila*; Comparative study; Regulatory sequences; Pair-rule gene 51, 199
- Signalling molecule; *Wnt***; Mouse; Myotome; Limb; Apical ectodermal ridge 51, 341
- Spermatogenesis**; Development; *Drosophila*; Male germ line; Muscle-myosin heavy chain; Myosin isoform; Testis 51, 67

**Spinal cord;** Neural induction; Homeobox; P19 EC cells; *Brachyury curtailed*; *Danforth's short tail*; *Evx-1*; *Pax-6* 51, 99

**Stomach;** Homeobox; Neural crest; Craniofacial development; Tooth development 51, 3

**String;** mRNA stability; Maternal mRNA; *Drosophila* 51, 217

**Symbiosis;** *Walbachia*; *Drosophila*; Cytoplasmic incompatibility 51, 275

**Tachykinin;** G protein-coupled receptors; Transcription; Atonal; Peripheral nervous system 51, 329

**Testis;** Development; *Drosophila*; Male germ line; Muscle-myosin heavy chain; Myosin isoform; Spermatogenesis 51, 67

**Tooth development;** Homeobox; Neural crest; Craniofacial development; Stomach 51, 3

**Transcription;** G protein-coupled receptors; Atonal; Peripheral nervous system; Tachykinin 51, 329

**Transcription factors;** GATA genes; Gastrulation; Cell fate; Blood cells; Neurons; Development 51, 169

**Transgenic flies;** Prion protein; Heat shock proteins; *Drosophila* 51, 317

**Walbachia;** *Drosophila*; Cytoplasmic incompatibility; Symbiosis 51, 275

**Wingless gene expression;** *Drosophila* embryogenesis; Segment polarity genes; *Engrailed* gene 51, 145

**Wnt;** Mouse; Signalling molecule; Myotome; Limb; Apical ectodermal ridge 51, 341

**Xenopus;** Embryogenesis; COUP-TFI; Retinoic acid; Neural development 51, 39

**Xenopus;** Nervous system; RNA-binding proteins; *elav*; Hu proteins 51, 235